

Copyright © 2020 Juniper Design, Inc.



Copyright © 2020 Juniper Design, Inc.


Patent [www.juniperdesign.com/patents/](http://www.juniperdesign.com/patents/)

Patent [www.juniperdesign.com/patents/](http://www.juniperdesign.com/patents/)

OVERVIEW



- Linear wall-mounted luminaire in 12–48" lengths
  - Extruded brass, aluminum, and hardwood finishes radiating from a central channel
  - Central lens channel projects clean, forward illumination into the surrounding space
  - 24 VDC Class 2 low-voltage power input
  - 120–277 VAC input voltage (with remote power supply)
  - Junction box optional for low-voltage installation
  - Dimming options: Forward Phase (TRIAC), Reverse Phase (ELV), or 0–0 V
  - Direct-mount to wall surface
- 
- CRI 95+
  - R9 90+
  - 84 LM/W delivered efficacy
  - 300 LM per linear foot (maximum)
  - Faceted acrylic lens with 90° beam spread



Example:  
**JPR-AXIS-AXSW-XXX-36-XX-XX**  
 36" nominal



SPECIFICATION BUILDER


JPR-AXIS-AXSW-  -  -  -

1. Mounting	2. Length / Wattage	3. CCT	4. Finish
<b>SMR</b> Surface Mount Remote Power Supply not included	<b>12</b> 12" / 4 W <b>24</b> 24" / 7 W	<b>27</b> 2700 K <b>30</b> 3000 K	<b>01</b> Satin Brass <b>02</b> Black Oxide
<b>SMP</b> Surface Mount Remote Power Supply included	<b>36</b> 36" / 11 W <b>48</b> 48" / 14 W	<b>35</b> 3500 K <b>40</b> 4000 K	<b>03</b> Satin Nickel <b>40</b> English Bronze <b>BW</b> Black Walnut <b>NA</b> Natural Ash <b>EB</b> Ebony
<b>SMJ</b> Surface Mount Local Power Supply included			<b>30</b> Matte Pure White <b>32</b> Matte Black <b>33</b> Satin Aluminum <b>CU</b> Custom

See p. 29 for mounting/spacing configurations and dimensions for various fixture lengths.

Stock finishes shown.  
 See [Finishes](#) for additional options.

MOUNTING OPTION



**Junction Box**  
 (can be located anywhere along the length of the fixture)

Remote Power Supply must be specified separately for SMR mounting option.  
 For detailed photometrics, see [Photometric Data](#).  
 IES files available.



Patent [www.juniperdesign.com/patents/](http://www.juniperdesign.com/patents/)



Patent [www.juniperdesign.com/patents/](http://www.juniperdesign.com/patents/)

SYSTEM LOGIC


Example:

**JPR-AXIS-AXSW-XXX-36-XX-XX**

36" nominal




CONFIGURATIONS — DIAGRAMS



**12**

**24**

**36**



**48**