

Sestessa maxi led cob



55 cm
21^{5/8}"



24,5 cm
9^{5/8}"


11 cm
4^{1/4}"



| luminaire | |
|-------------------|---------------------------------------|
| code CRI ≥ 80 | 218 |
| code CRI = 95 | 218H |
| materials | aluminium |
| environment | interiors |
| mounting location | wall |
| emission | indirect light |
| weight | 3,6 Kg |
| voltage | 230V |
| ballast | integrated electronic dimmable |
| dimming | phase-cut |
| insulation class | 1 |
| IP classification | IP20 |
| certifications | CE |
| design | Luta Bettonica, Mario Melocchi, 09-13 |

| light source | |
|---------------------------------------|----------|
| sorgente | LED |
| number of LED | 1 |
| power | 39W |
| flux CRI ≥ 80 | 3.900 lm |
| flux CRI = 95 | 2.850 lm |
| colour temperature | 2.800K |
| available at 3.000K / 3.500K / 4.000K | |
| for orders ≥ 5 pieces | |

energy label



finishes



white



colour on demand
monocolour
bicolour

Sestessa led cob ON/OFF



33 cm
13"



24 cm
9 1/2"


11 cm
4 1/4"





| luminaire | |
|-------------------|--------------------------------------|
| code CRI ≥ 80 | 272 |
| code CRI = 95 | 272H |
| materials | aluminium |
| environment | interiors |
| mounting location | wall |
| emission | indirect light |
| weight | 1,7 Kg |
| voltage | 230V |
| ballast | integrated electronic |
| dimming | not dimmable |
| insulation class | 1 |
| IP classification | IP20 |
| certifications | CE |
| design | Luta Bettonica, Mario Melocchi, 2009 |

| light source | |
|--------------------|---------------------------------------|
| sorgente | LED |
| number of LED | 1 |
| power | 20W |
| flux CRI ≥ 80 | 2.500 lm |
| flux CRI = 95 | 1.850 lm |
| colour temperature | 2.800K |
| | available at 3.000K / 3.500K / 4.000K |
| | for orders ≥ 5 pieces |

energy label



| finishes | |
|---|---|
|  |  |
| white | colour on demand monocolour bicolour |

| versions | |
|---|---|
|  |  |
| Sestessa led cob white cod 232 cod 232H colour on demand monocolour bicolour | Sestessa alogena white cod 201 |

Sestessa led cob



33 cm
13"



24 cm
9 1/2"


11 cm
4 1/4"




| luminaire | |
|-------------------|--------------------------------------|
| code CRI ≥ 80 | 232 |
| code CRI = 95 | 232H |
| materials | aluminium |
| environment | interiors |
| mounting location | wall |
| emission | indirect light |
| weight | 1,7 Kg |
| voltage | 230V |
| ballast | integrated electronic dimmable |
| dimming | phase-cut |
| insulation class | 1 |
| IP classification | IP20 |
| certifications | CE |
| design | Luta Bettonica, Mario Melocchi, 2009 |

| light source | |
|--------------------|---------------------------------------|
| sorgente | LED |
| number of LED | 1 |
| power | 20W |
| flux CRI ≥ 80 | 2.500 lm |
| flux CRI = 95 | 1.850 lm |
| colour temperature | 2.800K |
| | available at 3.000K / 3.500K / 4.000K |
| | for orders ≥ 5 pieces |

energy label



| finishes | |
|---|---|
|  |  |
| white | colour on demand monocolour bicolour |

| versions | |
|--|---|
|  |  |
| Sestessa led cob ON/OFF white cod 272 cod 272H colour on demand monocolour bicolour | Sestessa alogena white cod 201 |

Sestessina led cob ON/OFF



9 cm
3 1/2"


24cm
9 1/2"



17,5 cm
6 3/4"

| | luminaire |
|-------------------|--------------------------------------|
| code CRI ≥ 80 | 269 |
| code CRI = 95 | 269H |
| materials | aluminium |
| environment | interiors |
| mounting location | wall |
| emission | indirect light |
| weight | 1,0 Kg |
| voltage | 230V |
| ballast | integrated electronic |
| dimming | not dimmable |
| insulation class | 1 |
| IP classification | IP20 |
| certifications | CE |
| design | Luta Bettonica, Mario Melocchi, 2009 |

| | light source |
|--------------------|---------------------------------------|
| sorgente | LED |
| number of LED | 1 |
| power | 20W |
| flux CRI ≥ 80 | 1.700 lm |
| flux CRI = 95 | 1.300 lm |
| colour temperature | 2.800K |
| | available at 3.000K / 3.500K / 4.000K |
| | for orders ≥ 5 pieces |


energy label



| | finishes |
|---|--|
|  | white |
|  | colour on demand monocolour bicolour |

| | versions |
|---|---|
|  | sestessina led cob white cod 219 cod 219H |
|  | sestessina alogena white cod 210 |

Sestessina led cob




24cm
9 1/2"

17,5 cm
6 3/4"

| luminaire | |
|-------------------|--------------------------------------|
| code CRI ≥ 80 | 219 |
| code CRI = 95 | 219H |
| materials | aluminium |
| environment | interiors |
| mounting location | wall |
| emission | indirect light |
| weight | 1,0 Kg |
| voltage | 230V |
| ballast | integrated electronic dimmable |
| dimming | phase-cut |
| insulation class | 1 |
| IP classification | IP20 |
| certifications | CE |
| design | Luta Bettonica, Mario Melocchi, 2009 |

| light source | |
|---------------------------------------|----------|
| sorgente | LED |
| number of LED | 1 |
| power | 20W |
| flux CRI ≥ 80 | 1.700 lm |
| flux CRI = 95 | 1.300 lm |
| colour temperature | 2.800K |
| available at 3.000K / 3.500K / 4.000K | |
| for orders ≥ 5 pieces | |

energy label



| finishes | |
|----------|--|
| | white |
| | colour on demand monocolour bicolour |

| versions | |
|----------|--|
| | sestessina led cob ON/OFF white cod 269 cod 269H |
| | sestessina alogena white cod 210 |